



MICROVISION VIDEO LINK TECHNICAL SPECIFICATIONS

PRODUCT	1.394GHz	2.4GHz	5.8GHz	LOS	NLOS	Colour	Mono	Audio	Alarm Trigger	Ext. Ant. Connect	Dimensions mm	Weight
TRANSMITTER												
MV0001	X	X	X	1km	600m*	X	X	X	X		255 x 180 x 155	4.2kg
MV0003	X	X	X	4km	2km*	X	X	X	X	X	255 x 180 x 155	4.2kg
MV0004	X	X	X	4km	2km*	X	X	X	X	X	255 x 180 x 155	4.2kg
RECEIVER												
MOCROVISION RX	X	X	X			X	X	X	X	X	255 x 180 x 155	4.2kg

* Subject to site conditions. High gain antennae may be required.

All transmitters provide 1V P-P composite video output into 75 ohms. All kits are supplied with transmitter, 2 x poles, 2 x wall brackets, clamps. R.F. power output up to 500mW @ 1.394GHz; 10mW @ 2.4GHz; 25mW @ 5.8GHz

Standard antennae provided are as follows:

- MV0001 Integral
- MV0003 High gain panel or Yagi antenna
- MV0004 Hig gain dish antenna

Armstrong Optical Ltd., 31 Caxton House, Northampton Science Park, Northampton NN3 6LG, United Kingdom
(T) +44-1604 654220 (F) +44-1604 654221 (E) info@armstrongoptical.co.uk